

Atty Dkt. No.: CLON-060
USSN: 09/960,716

AMENDMENT

Please incorporate the following amendments into the subject application.

In the Claims:

1. (Currently Amended) A method of determining whether a sample includes at least one analyte of interest, said method comprising:
 - (a) contacting said sample with a planar array of a plurality of distinct binding agents displayed on a surface of a solid support ~~in the presence of a metal ion chelating polysaccharide~~, wherein said sample comprises a metal ion chelating polysaccharide and each of said binding agents at least comprises a specific epitope binding domain of an antibody;
 - (b) detecting the presence of any resultant binding complexes on said surface to obtain analyte binding data; and
 - (c) employing said analyte binding data to determine whether said sample includes said at least one analyte of interest.
2. (Canceled)
3. (Previously Presented) The method according to Claim 1, wherein said metal ion chelating polysaccharide comprises polygalactouronate domains.
4. (Original) The method according to Claim 3, wherein said metal ion chelating polysaccharide is a pectin.
5. (Original) The method according to Claim 4, wherein said pectin is apple pectin.
6. (Previously Presented) The method according to Claim 1, wherein said method further comprises extracting said at least one analyte from a cellular source and

Atty Dkt. No.: CLON-060
USSN: 09/960,716

labeling said extracted at least one analyte, wherein said extracting and labeling steps employ a buffer composition that is the same.

7. (Original) The method according to Claim 6, wherein said buffer composition is free of components that include primary amine moieties.
8. (Original) The method according to Claim 7, wherein said buffer composition has a pH ranging from about 7 to about 12.
9. (Original) The method according to Claim 8, wherein said buffer composition is capable of extracting at least about 95% of the proteins of an initial cellular source.
10. (Original) The method according to Claim 1, wherein said at least one analyte is a protein.
11. (Original) The method according to Claim 1, wherein said method comprises determining the presence of at least two distinct analytes in said sample.
12. (Original) The method according to Claim 1, wherein said method comprises a plurality of washing steps between said contacting and detecting steps.
13. (Currently Amended) The method according to Claim 1, wherein: (a) said method comprises quantitatively detecting at least two different protein analytes in said sample; (b) said method further comprises extracting said at least one analyte from a cellular source in an extraction buffer and labeling said extracted at least one analyte, ~~wherein said extracting and labeling steps employ the same buffer composition~~ in a buffer that is the same as said extraction buffer; and (c) wherein said method comprises a plurality of washing steps between said contacting and detecting steps.
14. (Original) The method according to Claim 13, wherein said metal ion

Atty Dkt. No.: CLON-060
USSN: 09/960,716

chelating polysaccharide comprises polygalactouronate domains.

15. (Original) The method according to Claim 14, wherein said metal ion chelating polysaccharide is a pectin.

16. (Original) The method according to Claim 15, wherein said pectin is apple pectin.

17. (Original) The method according to Claim 13, wherein said method is a method of determining a protein expression profile for said sample.

18. (Original) The method according to Claim 1, wherein said method further comprises a sample fractionating step prior to said contacting step.

19. (Original) The method according to Claim 18, wherein said fractionating step comprises contacting said sample with at least one affinity column.

Claims 20 - 45. (Canceled)